




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
TO: For Info Contact:	
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	#4-40 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.0958"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
1	set	#4-40 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.0958"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
2	set	#4-40 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.0958"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
2	set	#4-40 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.0958"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#4-48 UNF Internal Functional Size Segment; Minimum Pitch Diameter: 0.0985"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
2	set	#4-48 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.0985"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
2	set	#4-48 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.0985"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
1	set	#5-40 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1088"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#5-40 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1088"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
1	set	#5-40 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1088"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
2	set	#5-40 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.1088"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
1	set	#5-44 UNF Internal Functional Size Segment; Minimum Pitch Diameter: 0.1102"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#5-44 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1102"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
2	set	#5-44 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.1102"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
1	set	0.1260-40 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1088"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
1	set	0.1260-44 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1102"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#6-32 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1177"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
1	set	#6-32 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1177"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
1	set	#6-32 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1177"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
2	set	#6-40 UNF Internal Functional Size Segment; Minimum Pitch Diameter: 0.1218"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#6-40 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1218"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
1	set	#8-32 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1437"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
1	set	#8-32 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1437"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
1	set	#8-32 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1437"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
TO: For Info Contact:	
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#8-36 UNF Internal Functional Size Segment; Minimum Pitch Diameter: 0.1460"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
1	set	#8-36 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1460"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
2	set	#10-24 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1629"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	#10-24 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1629"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#10-24 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.1629"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	#10-24 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1629"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	#10-24 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1629"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	#10-24 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.1629"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#10-24 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.1629"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	#10-32 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.1697"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	#10-32 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.1697"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	#10-32 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.1697"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	#12-24 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.1889"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	#12-24 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1889"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	#12-24 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.1889"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
2	set	#12-28 UNJF Internal Functional Size Segment; Minimum Pitch Diameter: 0.1928"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#12-28 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1928"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	#12-28 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.1928"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	ea	#12-28 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.1928"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	#12-28 UNF Internal Functional Size Segment; Minimum Pitch Diameter: 0.1928"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	#12-28 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1928"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	#12-28 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.1928"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	1/4"-20 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.2175"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	1/4"-20 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.2175"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1/4"-20 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.2175"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	ea	1/4"-20 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.2175"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	1/4"-20 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.2175"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
2	set	1/4"-20 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.2175"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1/4"-28 UNJF Internal Functional Size Segment; Minimum Pitch Diameter: 0.2268"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
2	set	1/4"-28 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.2268"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	1/4"-28 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.2268"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	1/4"-28 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.2268"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1/4"-28 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.2268"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	5/16"-18 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.2764"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	5/16"-18 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.2764"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
2	set	5/16"-18 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.2764"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	5/16"-18 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.2764"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	5/16"-18 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.2764"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	5/16"-18 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.2764"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	5/16"-24 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.2854"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Cust PO _____ "Let the Gageguys get your gage!"	
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	ea	5/16"-24 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.2854"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	5/16"-24 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.2854"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	5/16"-24 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.2854"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
2	set	3/8"-16 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	3/8"-16 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	3/8"-16 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	3/8"-16 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	3/8"-16 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	3/8"-16 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	3/8"-24 UNJF Internal Functional Size Segment; Minimum Pitch Diameter: 0.3479"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	3/8"-24 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.3479"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
2	set	3/8"-24 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.3479"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	3/8"-24 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.3479"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	3/8"-24 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.3479"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	7/16"-14 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.3911"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	7/16"-14 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.3911"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	7/16"-14 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.3911"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	7/16"-14 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.3911"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	7/16"-14 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.3911"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	7/16"-20 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.4050"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____	
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"	
TO: For Info Contact:			
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	7/16"-20 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.4050"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	7/16"-20 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.4050"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	1/2"-13 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.4500"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	1/2"-13 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.4500"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

<p>DATE: 1/24/2012</p> <p>ATTN: Surplus Gages Available</p> <p>TO: For Info Contact:</p> <p>Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583</p>	<p>Cust PO _____</p> <p>"Let the Gageguys get your gage!"</p>
	Sales Rep _____
	TERMS: _____ Credit Card _____

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1/2"-13 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.4500"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
2	set	1/2"-13 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.4500"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
2	set	1/2"-13 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.4500"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	1/2"-13 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.4500"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1/2"-20 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.4675"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	834.00
3	set	1/2"-20 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.4675"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	834.00
1	set	1/2"-20 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.4675"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
3	set	9/16"-12 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.5084"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Cust PO _____ "Let the Gageguys get your gage!"	
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	9/16"-12 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.5084"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
1	set	9/16"-12 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.5084"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00
1	set	9/16"-12 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.5084"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00
3	set	9/16"-12 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.5084"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
TO: For Info Contact:	
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	9/16"-12 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.5084"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
1	set	9/16"-12 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.5084"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00
1	set	9/16"-18 UNF Internal Functional Size Segment; Minimum Pitch Diameter: 0.5264"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00
1	set	9/16"-18 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.5264"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	9/16"-18 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.5264"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
3	set	9/16"-18 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.5264"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
1	set	9/16"-18 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.5264"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00
3	set	5/8"-11 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.5660"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00

Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	5/8"-11 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.5660"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
2	set	5/8"-11 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.5660"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00
3	set	5/8"-11 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.5660"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
3	set	5/8"-11 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.5660"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	5/8"-11 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.5660"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
1	set	5/8"-18 UNF Internal Functional Size Segment; Minimum Pitch Diameter: 0.5889"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00
2	set	5/8"-18 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.5889"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00
3	set	5/8"-18 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.5889"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	5/8"-18 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.5889"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
2	set	5/8"-18 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.5889"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00
2	set	3/4"-10 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.6850"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00
3	set	3/4"-10 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.6850"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	3/4"-10 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.6850"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00
3	set	3/4"-10 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.6850"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
3	set	3/4"-10 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.6850"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
2	set	3/4"-10 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.6850"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	3/4"-12 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 0.6959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00
2	set	3/4"-12 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.6959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00
3	set	3/4"-12 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 0.6959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
2	set	3/4"-12 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.6959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00

Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	3/4"-16 UNF Internal Functional Size Segment; Minimum Pitch Diameter: 0.7094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00
1	set	3/4"-16 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.7094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00
3	set	3/4"-16 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.7094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
2	set	3/4"-16 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.7094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	3/4"-16 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.7094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	891.00
2	set	0.7810"-32 UNS Internal Functional Size Segment; Minimum Pitch Diameter: 0.7607"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	418.00	836.00
2	set	0.7810"-32 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.7607"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	418.00	836.00
3	set	0.7810"-32 UNS Internal Calibration Segment; Minimum Pitch Diameter: 0.7607"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	418.00	1,254.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	0.7810"-32 UNS Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.7607"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	418.00	836.00
2	set	7/8"-9 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.8028"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
2	set	7/8"-9 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.8028"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
2	set	7/8"-9 UNC Internal Functional Size Segment; Minimum Pitch Diameter: 0.8028"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Cust PO _____ "Let the Gageguys get your gage!"	
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	7/8"-9 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.8028"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
3	set	7/8"-9 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.8028"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
2	set	7/8"-9 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.8028"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
2	set	7/8"-9 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.8028"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
TO: For Info Contact:	
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	ea	7/8"-14 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.8286"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
2	set	7/8"-14 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.8286"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
2	set	7/8"-14 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.8286"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
2	set	7/8"-20 NEF Internal Calibration Segment; Minimum Pitch Diameter: 0.8425"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	7/8"-20 NEF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.8425"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
3	set	7/8"-32 UNS Internal Functional Size Segment; Minimum Pitch Diameter: 0.8547"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	7/8"-32 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.8547"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	7/8"-32 UNS Internal Calibration Segment; Minimum Pitch Diameter: 0.8547"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	7/8"-32 UNS Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.8547"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	7/8"-32 UNS Internal Functional Size Segment; Minimum Pitch Diameter: 0.8547"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	7/8"-32 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.8547"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	7/8"-32 UNS Internal Calibration Segment; Minimum Pitch Diameter: 0.8547"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	7/8"-32 UNS Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.8547"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	1"-8 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 0.9188"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	1"-8 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.9188"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
1	set	1"-8 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.9188"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	368.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1"-8 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.9188"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	1"-8 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.9188"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
1	set	1"-8 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.9188"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	368.00
2	set	1"-12 UNJF Internal Functional Size Segment; Minimum Pitch Diameter: 0.9459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1"-12 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.9459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	368.00
3	set	1"-12 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.9459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	1"-12 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.9459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
1	set	1"-12 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.9459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	368.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Cust PO _____ "Let the Gageguys get your gage!"	
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1"-16 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 0.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	1"-16 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	1"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 0.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	1"-16 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1"-20 UNF Internal Functional Size Segment; Minimum Pitch Diameter: 0.9675"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
2	set	1"-20 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.9675"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
2	set	1"-20 UNF Internal Calibration Segment; Minimum Pitch Diameter: 0.9675"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
3	set	1"-20 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 0.9675"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Cust PO _____ "Let the Gageguys get your gage!"	
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1-1/8"-7 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 1.0322"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	1,239.00
3	set	1-1/8"-7 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.0322"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	1,239.00
2	set	1-1/8"-7 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 1.0322"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-7 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.0322"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Cust PO _____ "Let the Gageguys get your gage!"	
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-1/8"-7 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.0322"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	413.00
1	set	1-1/8"-12 UNJF Internal Functional Size Segment; Minimum Pitch Diameter: 1.0709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	413.00
1	set	1-1/8"-12 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.0709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	413.00
2	set	1-1/8"-12 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 1.0709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

<p>DATE: 1/24/2012</p> <p>ATTN: Surplus Gages Available</p> <p>TO: For Info Contact:</p> <p>Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583</p>	<p>Cust PO _____</p> <p>"Let the Gageguys get your gage!"</p>				
	<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-1/8"-12 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.0709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	413.00
1	set	1-1/8"-12 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.0709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	413.00
2	set	1-1/8"-16 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.0844"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-16 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.0844"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-1/8"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.0844"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-16 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.0844"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-28 UNJS Internal Functional Size Segment; Minimum Pitch Diameter: 1.1018"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-28 UNJS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.1018"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-1/8"-28 UNJS Internal Calibration Segment; Minimum Pitch Diameter: 1.1018"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-28 UNJS Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.1018"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-28 UNJS Internal Functional Size Segment; Minimum Pitch Diameter: 1.1018"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-28 UNJS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.1018"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-1/8"-28 UNJS Internal Calibration Segment; Minimum Pitch Diameter: 1.1018"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-28 UNJS Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.1018"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1.1730"-18 UNS Internal Functional Size Segment; Minimum Pitch Diameter: 1.1369"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1.1730"-18 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.1369"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00

Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1.1730"-18 UNS Internal Calibration Segment; Minimum Pitch Diameter: 1.1369"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1.1730"-18 UNS Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.1369"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
4	set	1-1/4"-7 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 1.1572"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	1,652.00
4	set	1-1/4"-7 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.1572"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	1,652.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

<p>DATE: 1/24/2012</p> <p>ATTN: Surplus Gages Available</p> <p>TO: For Info Contact:</p> <p>Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583</p>	<p>Cust PO _____</p> <p>"Let the Gageguys get your gage!"</p>				
	<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-1/4"-7 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 1.1572"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
3	set	1-1/4"-7 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.1572"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	1,239.00
1	set	1-1/4"-7 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.1572"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	413.00
1	set	1-1/4"-12 UNJF Internal Functional Size Segment; Minimum Pitch Diameter: 1.1959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	413.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-1/4"-12 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.1959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/4"-12 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 1.1959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
3	set	1-1/4"-12 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.1959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	1,239.00
3	set	1-1/4"-16 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.2094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	1,239.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
TO: For Info Contact:	
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1-1/4"-16 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.2094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	1,239.00
2	set	1-1/4"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.2094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
3	set	1-1/4"-16 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.2094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	1,239.00
3	set	1.3120"-12 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.2579"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1.3120"-12 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.2579"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
3	set	1.3120"-12 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.2579"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
3	set	1.3120"-12 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.2579"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
3	set	1-5/16"-12 UNJS Internal Functional Size Segment; Minimum Pitch Diameter: 1.2584"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-5/16"-12 UNJS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.2584"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
2	set	1-5/16"-12 UNJS Internal Calibration Segment; Minimum Pitch Diameter: 1.2584"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
3	set	1-5/16"-12 UNJS Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.2584"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
4	set	1-3/8"-6 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 1.2667"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,712.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____	
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"	
TO: For Info Contact:			
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
4	set	1-3/8"-6 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.2667"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,712.00
2	set	1-3/8"-6 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.2667"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
3	set	1-3/8"-6 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.2667"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
1	set	1-3/8"-6 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.2667"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	428.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-3/8"-12 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 1.3209"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
3	set	1-3/8"-12 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.3209"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
3	set	1-3/8"-16 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
3	set	1-3/8"-16 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-3/8"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
3	set	1-3/8"-16 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
3	set	1-3/8"-18 NEF Internal Functional Size Segment; Minimum Pitch Diameter: 1.3389"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
3	set	1-3/8"-18 NEF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.3389"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00

Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-3/8"-18 NEF Internal Calibration Segment; Minimum Pitch Diameter: 1.3389"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
3	set	1-3/8"-18 NEF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.3389"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
3	set	1.3790"-18 NF Internal Functional Size Segment; Minimum Pitch Diameter: 1.3429"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
3	set	1.3790"-18 NF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.3429"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1.3790"-18 NF Internal Calibration Segment; Minimum Pitch Diameter: 1.3429"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
3	set	1.3790"-18 NF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.3429"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
4	set	1-1/2"-6 UNJC Internal Functional Size Segment; Minimum Pitch Diameter: 1.3917"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,712.00
4	set	1-1/2"-6 UNJC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.3917"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,712.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-1/2"-6 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 1.3917"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
3	set	1-1/2"-6 UNJC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.3917"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
1	set	1-1/2"-6 UNC Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.3917"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	428.00
1	set	1-1/2"-12 UNJF Internal Functional Size Segment; Minimum Pitch Diameter: 1.4459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	428.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-1/2"-12 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.4459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	428.00
2	set	1-1/2"-12 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 1.4459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
4	set	1-1/2"-12 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.4459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,712.00
1	set	1-1/2"-12 UNF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.4459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	428.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1-1/2"-16 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.4594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
3	set	1-1/2"-16 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.4594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
2	set	1-1/2"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.4594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
3	set	1-1/2"-16 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.4594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-1/2"-18 UNEF Internal Functional Size Segment; Minimum Pitch Diameter: 1.4639"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	428.00
1	set	1-1/2"-18 UNEF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.4639"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	428.00
1	set	1-1/2"-18 UNEF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.4639"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	428.00
2	set	1-9/16"-18 UNJF Internal Functional Size Segment; Minimum Pitch Diameter: 1.5264"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-9/16"-18 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.5264"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
2	set	1-9/16"-18 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 1.5264"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
2	set	1-9/16"-18 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.5264"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
3	set	1.5630"-18 UNS Internal Functional Size Segment; Minimum Pitch Diameter: 1.5269"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1.5630"-18 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.5269"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
2	set	1.5630"-18 UNS Internal Calibration Segment; Minimum Pitch Diameter: 1.5269"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
2	set	1.5630"-18 UNS Internal Calibration Segment; Minimum Pitch Diameter: 1.5269"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
4	set	1-5/8"-8 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.5438"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	2,040.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Cust PO _____ "Let the Gageguys get your gage!"	
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
4	set	1-5/8"-8 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.5438"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	2,040.00
2	set	1-5/8"-8 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.5438"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
4	set	1-5/8"-8 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.5438"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	2,040.00
3	set	1-5/8"-12 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.5709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1-5/8"-12 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.5709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
2	set	1-5/8"-12 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.5709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
3	set	1-5/8"-12 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.5709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
3	set	1-5/8"-16 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.5844"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Cust PO _____ "Let the Gageguys get your gage!"	
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1-5/8"-16 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.5844"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
2	set	1-5/8"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.5844"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
3	set	1-5/8"-16 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.5844"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
2	set	1-11/16"-18 UNJF Internal Functional Size Segment; Minimum Pitch Diameter: 1.6514"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1-11/16"-18 UNJF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.6514"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
2	ea	1-11/16"-18 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 1.6514"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
3	set	1-11/16"-18 UNJF Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.6514"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
2	set	1-3/4"-8 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.6688"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1-3/4"-8 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.6688"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
2	set	1-3/4"-8 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.6688"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
2	set	1-3/4"-8 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.6688"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
3	set	1-3/4"-12 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.6959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

<p>DATE: 1/24/2012</p> <p>ATTN: Surplus Gages Available</p> <p>TO: For Info Contact:</p> <p>Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583</p>	<p>Cust PO _____</p> <p>"Let the Gageguys get your gage!"</p>				
	<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-3/4"-12 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.6959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
2	set	1-3/4"-12 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.6959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
3	set	1-3/4"-12 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.6959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
3	set	1-3/4"-16 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.7094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1-3/4"-16 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.7094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
2	set	1-3/4"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.7094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
3	set	1-3/4"-16 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.7094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,530.00
3	set	1.7670"-18 UNS Internal Functional Size Segment; Minimum Pitch Diameter: 1.7309"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1.7670"-18 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.7309"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
2	set	1.7670"-18 UNS Internal Calibration Segment; Minimum Pitch Diameter: 1.7309"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
3	set	1.7670"-18 UNS Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.7309"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
3	set	1.7670"-18 UNS Internal Functional Size Segment; Minimum Pitch Diameter: 1.7309"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1.7670"-18 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.7309"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
2	set	1.7670"-18 UNS Internal Calibration Segment; Minimum Pitch Diameter: 1.7309"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
3	set	1.7670"-18 UNS Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.7309"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
2	set	1-7/8"-8 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.7938"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!" <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-7/8"-8 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.7938"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
3	set	1-7/8"-8 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.7938"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
2	set	1-7/8"-8 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.7938"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
2	set	1-7/8"-12 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.8209"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-7/8"-12 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.8209"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
3	set	1-7/8"-12 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.8209"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
2	set	1-7/8"-12 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.8209"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
2	set	1-7/8"-16 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.8344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Cust PO _____ "Let the Gageguys get your gage!"	
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-7/8"-16 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.8344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
3	set	1-7/8"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.8344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
2	set	1-7/8"-16 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.8344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
2	set	1.9670"-18 UNJS Internal Functional Size Segment; Minimum Pitch Diameter: 1.9309"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00

Thank you for considering Gage Crib!




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1.9670"-18 UNJS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.9309"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
3	set	1.9670"-18 UNJS Internal Calibration Segment; Minimum Pitch Diameter: 1.9309"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
2	set	1.9670"-18 UNJS Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.9309"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
3	set	2"-8 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.9188"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	2"-8 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.9188"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
3	set	2"-8 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.9188"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
3	set	2"-8 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.9188"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
3	set	2"-12 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.9459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: . Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Cust PO _____ "Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	2"-12 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.9459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
3	set	2"-12 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.9459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
3	set	2"-12 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.9459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
3	set	2"-16 UNJ Internal Functional Size Segment; Minimum Pitch Diameter: 1.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00


Thank you for considering Gage Crib!



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SegmentUNin

DATE: 1/24/2012 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Cust PO _____ "Let the Gageguys get your gage!"	
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	2"-16 UNJ Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	649.00
1	set	2"-16 UN Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	649.00
2	set	2"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,298.00
2	set	2"-16 UNJ Internal Lead Angle Analysis Segment; Minimum Pitch Diameter: 1.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame (Surplus)	649.00	1,298.00

Thank you for considering Gage Crib!