



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019		Cust PO _____	
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"	
BILL TO: For Info Contact:			
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep	
		TERMS:	Credit Card


QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#1 (0.0730")-64 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.0629"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00
2	set	#1 (0.0730")-72 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.0640"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00
1	set	#2 (0.0860")-56 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.0744"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	357.00
2	set	#2 (0.0860")-64 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.0759"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
BILL TO: For Info Contact:	
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	ea	#3 (0.0990")-48 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.0855"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00
2	set	#3 (0.0990")-56 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.0874"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00
2	set	#4 (0.1120")-48 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.0985"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	646.00
2	set	#5 (0.1250")-44 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.1102"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	646.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019	Cust PO _____ "Let the Gageguys get your gage!"
ATTN: Surplus Gages Available	
BILL TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	#6 (0.1380")-32 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.1177"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	323.00
2	set	#6 (0.1380")-40 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.1218"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	646.00
2	set	#8 (0.1640")-36 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.1460"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	646.00
1	set	3/16"-80 UNS External Functional Size Segment; Maximum Pitch Diameter: 0.1794"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	323.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
BILL TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#10 (0.1900")-24 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.1629"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	556.00
1	set	#10 (0.1900")-32 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.1697"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	278.00
1	set	#12 (0.2160")-24 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.1889"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	278.00
2	set	#12 (0.2160")-24 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.1889"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019		Cust PO _____	
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"	
BILL TO: For Info Contact:			
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	#12 (0.2160")-28 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.1928"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	278.00
2	set	#12 (0.2160")-28 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.1928"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00
1	set	1/4"-20 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.2175"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	278.00
1	set	1/4"-28 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.2268"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	278.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
BILL TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	5/16"-18 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.2764"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	278.00
2	set	5/16"-24 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.2854"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	556.00
2	set	3/8"-16 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.3344"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00
2	set	3/8"-24 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.3479"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
BILL TO: For Info Contact:	
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	7/16"-14 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.3911"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00
1	set	7/16"-27 UNS External Functional Size Segment; Maximum Pitch Diameter: 0.4134"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	278.00
2	set	1/2"-13 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.4500"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	556.00
2	set	1/2"-20 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.4675"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019		Cust PO _____	
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"	
BILL TO: For Info Contact:			
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	9/16"-12 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.5084"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	594.00
1	set	9/16"-18 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.5264"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	297.00
2	set	5/8"-11 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.5660"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	594.00
1	set	5/8"-18 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.5889"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	297.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
BILL TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	3/4"-10 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.6850"; Right Hand Thread; L3 (11/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	594.00
1	set	3/4"-16 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.7094"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	298.00	298.00
2	set	7/8"-9 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.8028"; Right Hand Thread; L4 (15/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	736.00
1	set	7/8"-14 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.8286"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	368.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019	Cust PO _____ "Let the Gageguys get your gage!"
ATTN: Surplus Gages Available	
BILL TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
4	set	7/8"-32 UNS LH External Functional Size Segment; Maximum Pitch Diameter: 0.8547"; Left Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	358.00	1,432.00
4	set	7/8"-32 UNS External Functional Size Segment; Maximum Pitch Diameter: 0.8547"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	1,472.00
1	set	0.985(63/64")-62 UNS External Functional Size Segment; Maximum Pitch Diameter: 0.9740"; Right Hand Thread; L2 (9/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	368.00
3	set	1"-8 UNC External Functional Size Segment; Maximum Pitch Diameter: 0.9188"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	1,104.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
BILL TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1"-12 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.9459"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	736.00
1	set	1"-20 UNEF External Functional Size Segment; Maximum Pitch Diameter: 0.9675"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	368.00
3	set	1"-20 UNF External Functional Size Segment; Maximum Pitch Diameter: 0.9675"; Right Hand Thread; L2 (9/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	378.00	1,134.00
1	set	1-1/16"-12 UN External Functional Size Segment; Maximum Pitch Diameter: 1.0084"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	413.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
BILL TO: For Info Contact: Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1.1730"-18 UNS External Functional Size Segment; Maximum Pitch Diameter: 1.1369"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	1,239.00
2	set	1-3/8"-18 UNEF External Functional Size Segment; Maximum Pitch Diameter: 1.3389"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	856.00
1	set	1.3760"-18 UNS External Functional Size Segment; Maximum Pitch Diameter: 1.3399"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	428.00
1	set	1-9/16"-18 UNEF External Functional Size Segment; Maximum Pitch Diameter: 1.5264"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGexUNfd

DATE: 9/10/2019	Cust PO _____
ATTN: Surplus Gages Available	"Let the Gageguys get your gage!"
BILL TO: For Info Contact:	
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583	Sales Rep _____
	TERMS: Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1.5630"-18 UNS External Functional Size Segment; Maximum Pitch Diameter: 1.5269"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	1,020.00
2	set	1.7670"-18 UNS External Functional Size Segment; Maximum Pitch Diameter: 1.7309"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00
2	set	1.7670"-18 UNS LH External Functional Size Segment; Maximum Pitch Diameter: 1.7309"; Left Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00
1	set	1-13/16"-16 UN External Functional Size Segment; Maximum Pitch Diameter: 1.7719"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	649.00