




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGinUNpd

DATE: 8/1/2018		Cust PO _____	
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"	
TO: For Info Contact:			
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#4-40 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.0958"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
2	set	#4-48 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.0985"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
1	set	#5-40 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1088"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
1	set	#5-44 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1102"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNpd

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	#6-32 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1177"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
2	set	#6-40 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1218"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	646.00
1	set	#8-32 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1437"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00
1	set	#8-36 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1460"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	323.00	323.00




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGinUNpd

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	#10-24 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1629"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	#12-24 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1889"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	#12-28 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1928"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	1/8"-40 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1088"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGinUNpd


DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1/8"-44 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.1102"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
2	set	5/16"-18 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.2764"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
3	set	3/8"-16 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	834.00
1	set	9/16"-12 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.5084"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNpd


DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	5/8"-18 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.5889"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00
2	set	3/4"-10 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.6850"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00
1	set	3/4"-16 UN LH Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.7094"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	418.00	418.00
2	set	0.7810"-32 UNS LH Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.7607"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	418.00	836.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNpd

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	7/8"-9 UNC Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.8028"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
3	set	7/8"-32 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.8547"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
3	set	7/8"-32 UNS LH Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.8547"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	1,104.00
2	set	1"-20 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 0.9675"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGinUNpd

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1.1730"-18 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.1369"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
3	set	1-3/8"-18 UNEF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.3389"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
3	set	1.3790"-18 UNF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.3429"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	1,284.00
1	set	1-1/2"-18 UNEF Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.4639"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	428.00




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNpd

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1.5630"-18 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.5269"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	1,020.00
3	set	1.7670"-18 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.7309"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
3	set	1.7670"-18 UNS Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.7309"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	1,947.00
1	set	2"-16 UN Internal Pitch Diameter Segment; Minimum Pitch Diameter: 1.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	649.00	649.00